## ENGINEERING DEPARTMENT.

### BANGALORE DIVISION.

*Dated 11th February 1927.*

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 21st February 1927, for Annual Repairs to Sowar Lines of Mysore Lancers at Bangalore for 1926-27. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1927.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

| Description of work | Unit of work | Rate per unit |
|---|---|---|
| | *Vide* seperate list attached. | |

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Annual Reparis to Sowar Lines of the Mysore Lancers at Bangalore for the year 1926-27, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Annual repairs of Sowar Lines of the Mysore Lancers at Bangalore.

| No. | Item of work | Per | Quantity |
|---|---|---|---|
| 1 | White washing two coats ... ... ... | Sqr. | 8,105·60 |
| 2 | Color washing two coats ... ... ... | " | 4,101·44 |
| 3 | Chocolate painting two coats .. ... ... | " | 341·12 |
| 4 | Patch repairs to walls of all the huts with chunam mortar, etc. | Each huts | 576 |

R. W. SCALDWELL,
*Executive Engineer.*

### HASSAN DIVISION.

*Dated 8th February 1927.*

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Hassan Division, up to 12 P.M., on 28th February 1927, for constructing a Local Fund Dispensary at Hirisave, Channarayapatna Taluk, Hassan District. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1927.

2. The plans, detailed estimates and conditions may be seen at the Executive Engineer's Office at Hassan between the hours of 11 A.M. to 4 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by statement in the form given below, showing the rates at which the different items specified will be executed.

| Serial No. | Description of work | Unit of work | Rate per unit |
|---|---|---|---|
| | | | |

4. Each tender must be accompanied by a deposit of Rupees Two Hundred and Fifty in cash or Government Promissory Notes, as earnest money, and be superscribed "tender for constructing Local Fund Dispensary at Hirisave, Channarayapatna Taluk, Hassan District," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, Hassan, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which the tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of tenders will receive any reply.

8. On acceptance of one of the tenders the earnest money on rejected tenders will be returned.

Constructing a Local Fund Dispensary at Hirisave, Channarayapatna Taluk.

| No. | Item of work | Unit | Quantity |
|---|---|---|---|
| | 1. MAIN BUILDING. | | |
| 1 | Earthwork excavation and filling in basement ... | C.yds. | 85 |
| 2 | Filling foundation with concrete in chunam... ... | C.ft. | 799 |
| 3 | Burnt stone in mortar (foundation and basement) ... | ,, | 2,224 |
| 4 | Burnt brick in mortar (superstructure) ... ... | ,, | 3,694 |
| 5 | Plastering with chunam ... ... ... | Square | 73·54 |
| 6 | Burnt stone slabs 6" thick dressed ... ... | Sq. ft. | 322 |
| 7 | Arch work brick in mortar ... ... ... | C.ft. | 49 |
| 8 | White and colour washing ... ... ... | Sqr. | 73·54 |
| 9 | Cement pointing .. ... ... | ,, | 4·47 |
| 10 | Teakwood work wrought and put up with wood-oiling ... | C.ft. | 142·12 |
| 11 | Teakwood pannelled doors 1¼" including bolts, hinges, brass locks, clamps and fittings, etc. ... ... | S.ft. | 249 |
| 12 | Teakwood windows inside glazes and outside pannelled shutters with iron bars, hinges, clamps, bolts and fittings, etc., complete ... ... ... | ,, | 243 |
| 13 | Teakwood wall shelves with pannelled shutters, hinges, hooks and locks, etc., complete ... | ,, | 95 |
| 14 | Teakwood circular ventilators glazed ... ... | ,, | 21 |
| 15 | Teakwood ventilators glazed shutters, hooks, hinges, iron bars and clamps, fittings, etc. ... ... | ,, | 130 |
| 16 | Flooring with 1st class Mangalore tiles on 3" concrete bed and cement pointing, etc. .. ... | Sqr. | 10·00 |
| 17 | Flooring with Cuddapah slabs on 3" concrete bed and cement pointing .. ... ... | ,, | 5·30 |

| No. | Item of work | Unit | Quantity |
|---|---|---|---|
| 18 | Chocolate painting (two coats) | Sqrs. | 9·35 |
| 19 | Wood-oiling (two coats) | " | 8·03 |
| 20 | Roofing with 1st class Mangalore tiles on teak reepers and nails, etc., complete | " | 26·64 |
| 21 | Ridge tiles set in mortar (plain) | R.ft. | 153 |
| 22 | Teakwood planking for valleys | " | 81½ |
| 23 | Zinc sheets for valleys | " | 81½ |
| 24 | Teakwood cane boards with painting | " | 300 |
| 25 | Teakwood pendant with painting | Each | 14 |
| 26 | Teakwood finials with painting | " | 3 |
| 27 | Building wall with gable ends 1' inside 9" with burnt brick in chunam and smooth plastering | R.ft. | 38 |
| 28 | Teakwood screen with doorway in it including wood-oiling, etc. | S.ft. | 98 |
| 29 | Date stone fixing | Each | 1 |
| 30 | Inscription name bard | " | 1 |
| 31 | Tarring wood works | Lumpsum | |
| 32 | Sinks in compounding, etc., rooms | Each | 4 |
| 33 | Drainage | Lumpsum | |
| 34 | Levelling the site, etc. | " | |
| 35 | Planking with brackets at windows for delivery of medicines as shown in plan | " | |
| 36 | Teakwood pillars 5" square with base and capitals, etc., including painting | Each | 6 |
| | II. LATRINE. | | |
| 1 | Earth work excavation and filling in basement | Cyds. | 4 |
| 2 | Burnt stone in mortar | C.ft. | 113 |
| 3 | Plastering with chunam | Sqrs. | 4·23 |
| 4 | Burnt brick with chunam | C.ft. | 156 |
| 5 | Coping with brick in chunam | R.ft. | 38 |
| 6 | White and colour washing | Sqrs. | 4·23 |
| 7 | Constructing cistern and providing with buckets and cast iron cut and inlet pipes | Lumpsum | |
| 8 | Clearing site and tarring | " | |
| 9 | Flooring with Cuddapa slabs on 3" concrete and cement pointing | Sqrs. | 0·65 |
| | (3) KITCHEN. | | |
| 1 | Earthwork excavation and filling in basement | C.yd. | 4 |
| 2 | Burnt stone in mortar | C.ft. | 176 |
| 3 | Burnt brick in mortar | " | 281 |
| 4 | Chunam plastering | Sqr. | 5·28 |
| 5 | Flooring with Cuddapa slabs on 3" concrete bed and cement pointing. | " | 0·70 |
| 6 | Teak wood work wrought and put up with wood-oiling | C.ft. | 10·17 |
| 7 | White and colour washing | Sqr. | 5·28 |
| 8 | Roofing with 1st Class Mangalore tiles on reepers and nails, etc., complete. | " | 2·21 |
| 9 | Cement pointing to basement | " | 0·45 |
| 10 | Ventilating tiles | Each | 4 |
| 11 | Ridge tiles set in mortar | R.ft. | 15 |
| 12 | Burnt stone slabs 6" thick dressed | S.ft. | 13 |
| 13 | Teakwood battened doors | " | 18 |
| 14 | Do windows with iron bars | " | 5 |
| 15 | Chocolate painting | Sqr. | 0·45 |
| 16 | Binding walls | R.ft. | 28 |
| 17 | Clearing site building over chimney etc., complete | L. S. | |

N. G. KRISHNIENGAR,
*Executive Engineer.*

6 B